

Scissor Lift

Used Scissor Lift San Bernardino - The industrial equipment that utilizes crisscrossed steel linked arms is scissor lifts. These machines feature an "X" support system to accommodate vertical lifting at various heights. The scissor lift has a rectangular platform attached to the top of it. For additional operator safety and to keep items along the edge of the platform secure, there are support railings. This machine maintains a low profile that is ideal for hard surfaces such as concrete and other compact surfaces. These units can run on either a combustion engine or electric engine to handle the lifting and transporting of the machine. The scissor lift operates on a vertical plane and if the operator needs to move the lift horizontally, they have to reposition the machine. The lifting components of both regular lift models and rough terrain units rely on the same lifting technology. The rough terrain is specially designed for traversing uneven ground. Higher ground clearance and oversized all-terrain tires enable these machines to travel to tricky locations. Some scissor lifts have 4WD to travel through difficult and muddy locations. Thanks to the higher center of gravity lower lifting heights are available. If you have never operated one before, scissor lifts can seem strange or intimidating. Images of swaying in the wind and being precariously balanced may come to mind. Feel secure knowing you will not feel the lift even moving and you will be in a stable position. A variety of safety tests have to be completed before this unit can be sold. Of course, if you are new to this kind of equipment, it is normal to feel unsure until you familiarize yourself with the unit. It is essential to maintain safety precautions all of the time. Understanding what you will be using your scissor lift for will help ensure you have the right type of model. The scissor lift model you will need will largely depend on the types of jobs you will need to do. Key factors to consider include how high you will need to reach and the types of loads you will be moving. Extreme heights can be attained by different models depending on your specific application. Tinier models are often preferred for interior jobs such as factory, freight or warehousing situations. There is no need to purchase the largest model on the market if you are not going to require the fullest capacity. Electric scissor lifts have optional platforms and railings to offer maximum safety features. These machines are designed to be reliable and safe. Many safety inspections and specifications need to be maintained in order for these industrial machines to be available for sale. Scissor lifts help people accomplish tasks that are otherwise unattainable, unreachable or inaccessible. These machines are situated in place before elevating vertically. Before the lift is engaged, the operator will properly position the unit. Numerous safety features have been designed into the machine. Safety is accomplished by following operational guidelines. There is a safe basket workspace on scissor lifts to ensure lifting tasks are more secure as opposed to hanging off of scaffolding or a ladder. Most scissor lifts rely on internally mounted batteries within the lifts' base for power. After working an extensive shift or for prolonged periods of time, charging is necessary. Batteries may be changed every 12 hours or charged many times throughout the day. Scissor lifts are charged in a well-ventilated area, parked near an electrical outlet. When the machine is parked, the emergency shut-off switch becomes is engaged to stop. The large red button found inside the lift or the basket, close to the charger or the control box is the emergency shut-off switch. Oftentimes, the battery charger is found on the right side of the lift on the base of the machine. Older scissor lifts may have a battery charger found on the back of the unit. The charger for the machine is plugged into the AC extension cord within a well-ventilated area and the extension cord plugs into an electrical outlet. The length of the electrical cord on the battery charger needs to be short to prevent damage or running over it. There is a high possibility of danger if the extension cord dropped out of the battery charger while the machine is in operation. After the scissor lift plugs in to charge, all of the lights should become lit up. The batteries will automatically begin charging once plugged in. Once the unit is charged, the battery lights will turn green and the charger will turn off. Models that are older and rely on a meter will show zero volts after they are charged fully and then the charger will also turn off automatically. After the batteries are completely charged

| the scissor lift can complete another shift. It is common for warehouses and businesses to have numerous |
|--|
| batteries continually charging to keep the scissor lift operating 24 hours a day. |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |